



SYMPORIUM




BIODIVERSITE / SUBSTANCES NATURELLES

Université des Sciences - MADAGASCAR

13-15 OCTOBRE 2009

BIOMAD 2009




Analyse et valorisation des substances naturelles
Chimie écologique, Chimie verte, Ecologie chimique
Législation, Brevets, Propriété intellectuelle...

LHESMS



LESSONS LEARNED FROM PLANT-BASED DRUG DISCOVERY

Philippe Rasoanaivo



Ethnobotany

Botany

Chemistry

Clinics

Pharmacology

Biochemistry

Bioinformatics

Plant-based Drug Discovery

fund



Ethnobotany

Bioinformatics

Clinics

Biochemistry

Chemistry

Botany

Pharmacology

One Strategy for a successful drug discovery

Opportunities

Interdisciplinarity


Networking

Training

Publications,
Patents

Development

Fund rising



Target diseases for drug discovery

At the Laboratoire de Biothérapeutique

Institut Malgache de Recherches Appliquées


► Tropical diseases

- Malaria;
- Chikungunya.

► Diseases of aging


- Memory and cognitive impairment;
- Diabetes of aging;
- Erectile and libido dysfunction.

Opportunity: Oxford, 1998



I = Infective Stage
d = Diagnostic Stage

Schema of malaria life cycle



Moshi, December 1999: Birth of RITAM




**Research Initiative on
Traditional Antimalarial Methods**



Traditional Herbal Medicines for Modern Times


Traditional Medicinal Plants and Malaria

Edited by
Merlin Willcox, Gerard Bodeker,
and Philippe Rasoanaivo





 CRC PRESS

Networking; Fund rising



From traditional knowledge to patent



Tazopsine



ANR

Obituary: the Malagasy forester Abrahama, *J. Ethnopharmacol.* 1999, 68, 1-2.

- PCT Patent WO 2005/103009 A1, 3 November 2005.
- M. Carraz et al. (2006) *PLoS Medicine*, 3, 2392.
- M. Carraz et al. (2008) *Bioorg. Med. Chem.* 16, 6186.



Grandes Avancées Françaises en Biologie



Pascale Cossart of the Academy of Sciences, Organiser of the “*Grandes Avancées Françaises en Biologie 2007*”, together the three young Prize winners: Christelle Durand (left), Maelle Carraz and Cécile Frolet (right).

Cultivation of *Artemisia annua*

A project which failed!

- ▶ Leadership conflicts,
- ▶ Lack of communication and transparency,
- ▶ Fear of competition,
- ▶ Useless meetings without follow-up.

FADES project: Antimalarial, toxic and fortifying plants



FADES team




Neobeguea mahafalensis

Opportunity: Bloomfontein, South Africa, 2004



Breakthrough in ED research after 1998





2004

Treatment of back pains

Claimed to restore erectile function
in old men


Long-lasting effects in the treatment
of erectile dysfunction




2005



Previous work



Neobeguin



Pseudrelone

- ▶ D. A. Mulholland, D. A. H. Taylor, *Phytochemistry* **1988**, 27, 1741.
- ▶ M. Randrianarivelojosia, M. P. Kothos, D. A. Mulholland, *Phytochemistry* **1999**; 52, 1141.
- ▶ D. Naidoo, D. A. Mulholland, M. Randrianarivelojosia, P. H. Coombes, *Biochemical Systematics and Ecology* **2003**, 31, 1047.

Karl R. Popper

La logique de la découverte scientifique

Payot

“Discovery consists of seeing what everyone has seen and thinking what nobody has thought”





L. Pauling

« La compétition la plus intéressante n'est pas de suivre la meute et d'essayer de grappiller avec tout le monde. C'est avoir soi-même l'idée, alors que les autres n'en ont pas, et puis de faire tout ce qu'il faut pour arriver tout seul”.

P. Potier



Discovering novelty; Patenting



J.E. S. Wikberg, P. Rasoanaivo, S. A. Razafimahefo, B. Rasolondratovo.
PCT Patent WO 2008/145996 A2, 4 December 2008, 245 pages.




Inventors

LA SCIENCE QUI A POUR OBJECTIF DE CONSERVÉ LA VIE

1. Introduction

Phragmalins are a type of rings B,D-seco limonoids with characteristic A and B-rings of tricycle [3.3.1^{2,10,1},4]decane or tricycle [4.2.1^{10,30,1},4]decane (rearranged phragmalin), most of which exhibit insect antifeeding activity.¹ They have been discovered only from the genera of Meliaceae, such as *Chukrasia*,^{1b,2}




Khaya,³ *Xylocarpus*,⁴ and *Swietenia*.⁵ Most of them bear *ortho*-ester group at positions 1,8,9 or 8,9,14 or 8,9,30 or 8,9,11, and C-16/17 δ -lactone ring (ring D), which was in few cases cleaved, producing C-16/C-17 δ -lactone-seco compounds and C-16/C-8 γ -lactone.^{1a,2d,4b,5b,6} Among them, nineteen C-15-acyl phragmalin

derivatives bearing exclusively a 1,8,9-*ortho*-acetate and C-16/17 δ -lactone ring have been reported,^{2a,7} which were suggested to be produced by acyl transfer from a C-30 ester.^{1a} In our investigation on the chemical constituents of *Chukrasia tabularis* var. *velutina*, a variety of *Chukrasia tabularis* A. Juss. growing mainly in tropical areas of Asia such as India and southern China,^{2e,8} six new C-15-acyl phragmalin derivatives, Chukvelutilides


A-F (**1-6**), were isolated from the air-dried stem barks of this plant collected in Xishuangbanna, Yunnan Province, China. These novel compounds possess an unprecedented C-16/C-30 δ -lactone ring, a biosynthetically extended three- or four-carbon enolized acyl substituent at C-15, and 1,8,9-*ortho*-acetate group. They are the first examples of C-15-acyl phragmalins with C-16/C-30 δ -lactone ring. We report herein the isolation and structural elucidation of these compounds.

* Corresponding author. Tel.: +86 25 8539 1289; fax: +86 25 8530 1528.
E-mail address: lykong@jlonline.com (L.-Y. Kong).

Delayed and long-lasting effects of one limonoid (compilation of several tests)




Bioactive constituents (continued): Phenolics in the acetone extract




Y. Steffen et al. (2007) Epicatechin elevates NO in endothelial cells via inhibition of NADPH oxidase. *Biochem. Biophys. Res. Com.*, 359, 828-833.

Supply: semisynthesis




Common structure
With C-16/17 δ -lactone

Trans-esterification



Novel structure
With C-16/30 δ -lactone



Priority applications 8- 9

Metabolites from endophytic fungi & mycorrhizas




Evolving feature of networking


LaCASN, 2009



The road forward



GLOBAL BIODIVERSITY: SPECIES NUMBERS OF VASCULAR PLANTS



Diversity Zones (DZ): Number of species per 10 000km²



sea surface temperature



cold currents

W. Barthott, N. Biedinger, G. Braun, F. Feuerborn, W. Lauer & J. Muko 1999

modified after

W. Barthott, W. Lauer & A. Placke 1996

Department of Botany and Geography

University of Bonn

German Aerospace Research Establishment

Cartography: M. Gref

Department of Geography University of Bonn

Vascular plant diversity on Earth, number of species

Bioprospecting: a tool for networking and fund rising

University of Antananarivo;
IMRA

Bioprospecting

Institut de Chimie
des Substances Naturelles

Extract library

Belgium France

PHYTOCHIK
(CRVOI)

Mauritius Madagascar

La Réunion

AGROCOS
(EU FP7)

IRNA – CHIR
(ANR)



PHYTOCHIK consortium

La Réunion, 13 October 2009





Writing scientific projects

April 2009, Antananarivo



SUBLIME EST LA SCIENCE

ANALYSES MÉDICALES



Favouring participation of young scientists in international meetings

Cape Town (South Africa), October 2008





**Favouring participation of young scientists
in international meetings
Kano (Nigeria), August 2009**

Intellectual property rights, equitable benefit sharing, Access to genetic resources

**PLANTS, PEOPLE AND NATURE
Benefit Sharing in Practice**

**Edited by L. Denzil Phillips
Published by: Plantaphile Ltd
Pages: 196 + 32 pages of colour inserts**

Conclusion



Thank you for your attention